



UNITED STATES PATENT AND TRADEMARK OFFICE

2D

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/756,762	01/14/2004	Paul Anthony Gilkerson	550-508	1521

23117 7590 10/17/2006

NIXON & VANDERHYE, PC
901 NORTH GLEBE ROAD, 11TH FLOOR
ARLINGTON, VA 22203

EXAMINER

LAI, VINCENT

ART UNIT	PAPER NUMBER
----------	--------------

2181

DATE MAILED: 10/17/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/756,762	Applicant(s) GILKERSON, PAUL ANTHONY	
	Examiner Vincent Lai	Art Unit 2181	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 31 July 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☐ Claim(s) _____ is/are rejected.
- 7) ☒ Claim(s) 1-20 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date: _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date: _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. Acknowledgment is made of the amendments to the claims, specification, abstract, and title.
2. Objections to the title, abstract, drawings, and claims are withdrawn after considering amendments.
3. The 35 USC 112 rejection is withdrawn after considering amendments.

Response to Arguments

4. Applicant's arguments filed 31 July 2006 have been fully considered but they are not persuasive.

In response to the argument pertaining to the 35 USC 101 rejection, current USPTO guidelines indicate that it is a requirement of tangible results. Information on the guideline can be found on the USPTO website and at the following link:

[http://www.uspto.gov/web/offices/pac/dapp/opla/preognotice/
guidelines101_20051026.pdf](http://www.uspto.gov/web/offices/pac/dapp/opla/preognotice/guidelines101_20051026.pdf).

It is also of note that a determination is not considered a tangible result and an additional step would be required in order to make the claims tangible.

In response to the argument pertaining to the 35 USC 102 rejection, the claim language does not necessarily require that there is a conditional return instruction. In the case where no conditional return instruction exists, the event described in the last paragraph of claim 1 would simply never occur. There is also no disallowance of unconditional return instructions.

Claim Rejections - 35 USC § 101

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

5. Claims 10 & 13 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. There are no tangible end results from implementing the claims in question because the end result is a determination, which lacks a tangible "real world" result. Although some claims do have intermediate steps that produce an intermediate tangible result, the end result is merely a determination.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 2181

6. Claims 1-18 are rejected under 35 U.S.C. 102(b) as being anticipated by McMahan (U.S. Patent # 5,692,168), herein referred to as McMahan.

As per **claim 1**, McMahan discloses a data processing apparatus, comprising:

a processor operable to execute instructions (CPU core 20, see figure 1a: There are also two separate components for execution (EX_X 23X and EX_Y 23Y));

a prefetch unit (Prefetcher 35, see figure 1a) operable to prefetch instructions from a memory (See column 13, lines 23-25: the instructions are fetched from cache) prior to sending those instructions to the processor for execution (See figure 3b: The prefetch stage 179 is taken before the execution/write-back stage 180), the prefetch unit being operable to determine for a prefetched instruction whether that prefetched instruction is an instruction flow changing instruction (See column 22, lines 25-31: The flow control logic determines if instruction flow has changed is associated with the prefetch buffer), and based thereon to determine a fetch address for a next instruction to be prefetched by the prefetch unit (See column 22, lines 32-36: The flow control logic predicts what the change of flow address could be as well as has the target address available);

a return stack accessible by the prefetch unit (See figure 1a and 5a: The branch prediction unit 40, which houses the stack, is coupled to the prefetcher 35) and operable to hold at least one address (See column 31, lines 3: The stack can hold 8 addresses);
and

prediction logic operable (See figure 4f: The flow control logic performs predictions), if the prefetched instruction is a conditional instruction, for predicting whether that prefetched instruction will be executed by the processor (See column 22, lines 37-41: A predicted change of flow address is available), the prefetch unit being operable to determine the fetch address dependent on the prediction from the prediction logic (See column 22, lines 37-41: The flow control logic determines both a target address and a change of flow address);

wherein, in the event that the prefetched instruction is a first type of instruction flow changing instruction and is conditional, and the prediction logic predicts that that prefetched instruction will be executed, the prefetch unit for determining as the fetch address an address obtained from the return stack (See column 31, lines 42-47: Prefetcher gets an address from the return stack).

As per **claim 2**, McMahan discloses wherein the first type of instruction flow changing instruction is a procedure return instruction operable when executed to cause the processor to return from a procedure being executed by the processor (See column 7, lines 53-61: Information regarding what data/instruction is in each stage of the pipeline is saved or stalled when a squash or interrupt is found).

As per **claim 3**, McMahan discloses wherein if the prefetch unit determines that the prefetched instruction is a second type of instruction flow changing instruction (See column 12, lines 28-31: There are 2 types of flow changes), the prefetch unit is further

Art Unit: 2181

operable to determine a return address (See column 31, lines 21-27: A return address is known and stored in the stack) and to cause that return address to be placed on the return stack (See column 31, lines 21-27: A return address is stored in the stack).

As per **claim 4**, McMahan discloses wherein said second type of instruction flow changing instruction is a branch with link instruction (See column 12, lines 28-31: Branches are 1 of 2 types of flow changes), which is operable to identify a start address for a procedure to be executed by the processor (See column 12, lines 42-44: A predicted branch supplies a target address), upon returning from the procedure the next instruction to be executed by the processor being specified by the return address (See column 31, lines 21-27: A return address is stored in the stack).

As per **claim 5**, McMahan discloses wherein the procedure is returned from by execution of one of said first type of instruction flow changing instructions (See column 31, lines 3-12: A return address is popped off the stack when a return this in the target cache).

As per **claim 6**, McMahan discloses wherein said prediction logic is a dynamic prediction logic which is operable to provide a prediction as to whether the prefetched instruction will be executed by the processor dependent upon history information identifying an outcome of conditional instructions previously executed by the processor (See column 12, lines 32-26: History is used in branch prediction).

As per **claim 7**, McMahan discloses wherein said prediction logic is provided within said prefetch unit (See figure 3a: The branch prediction unit 40 is part of the prefetch unit).

As per **claim 8**, McMahan discloses wherein said return stack is provided within said prefetch unit (See figure 3a: The return stack 130 is a part of the BPU 40).

As per **claim 9**, McMahan discloses wherein said prefetch unit comprises decode logic operable to determine for the prefetched instruction whether that prefetched instruction is an instruction flow changing instruction (See column 22, lines 43- 49: A bit is set for flow changes), and control logic operable in response to the decode logic to determine the fetch address for the next instruction to be prefetched by the prefetch unit (See column 22, lines 37-41 and 50-53: The instructions are decoded accordingly to flow change bit and the flow control logic determines both a target address and a change of flow address).

As per **claim 10**, McMahan discloses a method of operating a data processing apparatus comprising a processor operable to execute instructions (CPU core 20, see figure 1a: There are also two separate components for execution (EX_X 23X and EX_Y 23Y)), a prefetch unit (Prefetcher 35, see figure 1a) operable to prefetch instructions from a memory (See column 13, lines 23-25: the instructions are fetched from cache)

Art Unit: 2181

prior to sending those instructions to the processor for execution (See figure 3b: The prefetch stage 179 is taken before the execution/write-back stage 180), and a return stack accessible by the prefetch unit (See figure 1a and 5a: The branch prediction unit 40, which houses the stack, is coupled to the prefetcher 35) and operable to hold one or more addresses (See column 31, lines 3: The stack can hold 8 addresses), the method comprising the steps of:

(a) determining for a prefetched instruction whether that prefetched instruction is an instruction flow changing instruction (See column 22, lines 25-31: The flow control logic determines if instruction flow has changed is associated with the prefetch buffer), and based thereon determining a fetch address for a next instruction to be prefetched by the prefetch unit (See column 22, lines 32-36: The flow control logic predicts what the change of flow address could be as well as has the target address available);

(b) if the prefetched instruction is a conditional instruction, predicting whether that prefetched instruction will be executed by the processor (See column 22, lines 37-41: A predicted change of flow address is available), and at said step (a) determining the fetch address dependent on the prediction (See column 22, lines 37-41: The flow control logic determines both a target address and a change of flow address); and

(c) in the event that the prefetched instruction is a first type of instruction flow changing instruction and is conditional, and if said step (b) predicts that that prefetched instruction will be executed, determining as the fetch address an address obtained from the return stack (See column 31, lines 42-47: Prefetcher gets an address from the return stack).

As per **claim 11**, McMahan discloses wherein the first type of instruction flow changing instruction is a procedure return instruction operable when executed to cause the processor to return from a procedure being executed by the processor (See column 7, lines 53-61: Information regarding what data/instruction is in each stage of the pipeline is saved or stalled when a squash or interrupt is found).

As per **claim 12**, McMahan discloses wherein if at said step (a) it is determined that the prefetched instruction is a second type of instruction flow changing instruction (See column 12, lines 28-31: There are 2 types of flow changes), the method further comprises the steps of:

determining a return address (See column 31, lines 21-27: A return address is known and stored in the stack); and

placing that return address on the return stack (See column 31, lines 21-27: A return address is stored in the stack).

As per **claim 13**, McMahan discloses wherein said second type of instruction flow changing instruction is a branch with link instruction (See column 12, lines 28-31: Branches are 1 of 2 types of flow changes), which is operable to identify a start address for a procedure to be executed by the processor (See column 12, lines 42-44: A predicted branch supplies a target address), upon returning from the procedure the next

Art Unit: 2181

instruction to be executed by the processor being specified by the return address (See column 31, lines 21-27: A return address is stored in the stack).

As per **claim 14**, McMahan discloses further comprising the step of returning from the procedure by execution of one of said first type of instruction flow changing instructions (See column 31, lines 3-12: A return address is popped off the stack when a return this in the target cache).

As per **claim 15**, McMahan discloses wherein said step (b) comprises the step of providing a prediction as to whether the prefetched instruction will be executed by the processor dependent upon history information identifying an outcome of conditional instructions previously executed by the processor (See column 12, lines 32-26: History is used in branch prediction).

As per **claim 16**, McMahan discloses wherein said step (b) is performed within said prefetch unit (See figure 3a: The branch prediction unit 40 is part of the prefetch unit).

As per **claim 17**, McMahan discloses wherein said return stack is provided within said prefetch unit (See figure 3a: The return stack 130 is a part of the BPU 40).

As per **claim 18**, McMahan discloses wherein said prefetch unit comprises decode logic operable to determine for the prefetched instruction whether that prefetched instruction is an instruction flow changing instruction (See column 22, lines 43- 49: A bit is set for flow changes), and control logic operable in response to the decode logic to determine the fetch address for the next instruction to be prefetched by the prefetch unit (See column 22, lines 37-41 and 50-53: The instructions are decoded accordingly to flow change bit and the flow control logic determines both a target address and a change of flow address).

As per **claim 19**, McMahan discloses a data processing apparatus, comprising:

- a processor operable to execute instructions (CPU core 20, see figure 1a: There are also two separate components for execution (EX_X 23X and EX_Y 23Y));
- a prefetch unit (Prefetcher 35, see figure 1a) operable to prefetch instructions from a memory (See column 13, lines 23-25: the instructions are fetched from cache) prior to sending those instructions to the processor for execution (See figure 3b: The prefetch stage 179 is taken before the execution/write-back stage 180), the prefetch unit being operable to determine for a prefetched instruction whether that prefetched instruction is an instruction flow changing instruction (See column 22, lines 25-31: The flow control logic determines if instruction flow has changed is associated with the prefetch buffer), and based thereon to determine a fetch address for a next instruction to be prefetched by the prefetch unit (See column 22, lines 32-36: The flow control logic

Art Unit: 2181

predicts what the change of flow address could be as well as has the target address available);

a return stack accessible by the prefetch unit (See figure 1a and 5a: The branch prediction unit 40, which houses the stack, is coupled to the prefetcher 35) and operable to hold at least one address (See column 31, lines 3: The stack can hold 8 addresses); and

prediction logic operable (See figure 4f: The flow control logic performs predictions), if the prefetched instruction is a conditional instruction, for predicting whether that prefetched instruction will be executed by the processor (See column 22, lines 37-41: A predicted change of flow address is available), the prefetch unit being operable to determine the fetch address dependent on the prediction from the prediction logic (See column 22, lines 37-41: The flow control logic determines both a target address and a change of flow address);

wherein, in the event that the prefetched instruction is a first type of instruction flow changing instruction and is conditional, and the prediction logic predicts that that prefetched instruction will be executed, the prefetch unit for determining as the fetch address an address obtained from the return stack (See column 31, lines 42-47: Prefetcher gets an address from the return stack).

wherein the first type of instruction flow changing instruction is a procedure return instruction operable when executed to cause the processor to return from a procedure being executed by the processor (See column 7, lines 53-61: Information regarding

Art Unit: 2181

what data/instruction is in each stage of the pipeline is saved or stalled when a squash or interrupt is found).

As per **claim 20**, McMahan discloses a method of operating a data processing apparatus comprising a processor operable to execute instructions (CPU core 20, see figure 1a: There are also two separate components for execution (EX_X 23X and EX_Y 23Y)), a prefetch unit (Prefetcher 35, see figure 1a) operable to prefetch instructions from a memory (See column 13, lines 23-25: the instructions are fetched from cache) prior to sending those instructions to the processor for execution (See figure 3b: The prefetch stage 179 is taken before the execution/write-back stage 180), and a return stack accessible by the prefetch unit (See figure 1a and 5a: The branch prediction unit 40, which houses the stack, is coupled to the prefetcher 35) and operable to hold one or more addresses (See column 31, lines 3: The stack can hold 8 addresses), the method comprising the steps of:

(a) determining for a prefetched instruction whether that prefetched instruction is an instruction flow changing instruction (See column 22, lines 25-31: The flow control logic determines if instruction flow has changed is associated with the prefetch buffer), and based thereon determining a fetch address for a next instruction to be prefetched by the prefetch unit (See column 22, lines 32-36: The flow control logic predicts what the change of flow address could be as well as has the target address available);

(b) if the prefetched instruction is a conditional instruction, predicting whether that prefetched instruction will be executed by the processor (See column 22, lines 37-41: A

Art Unit: 2181

predicted change of flow address is available), and at said step (a) determining the fetch address dependent on the prediction (See column 22, lines 37-41: The flow control logic determines both a target address and a change of flow address); and

(c) in the event that the prefetched instruction is a first type of instruction flow changing instruction and is conditional, and if said step (b) predicts that that prefetched instruction will be executed, determining as the fetch address an address obtained from the return stack (See column 31, lines 42-47: Prefetcher gets an address from the return stack).

wherein the first type of instruction flow changing instruction is a procedure return instruction operable when executed to cause the processor to return from a procedure being executed by the processor (See column 7, lines 53-61: Information regarding what data/instruction is in each stage of the pipeline is saved or stalled when a squash or interrupt is found).

Conclusion

7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

Art Unit: 2181


extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vincent Lai whose telephone number is (571) 272-6749. The examiner can normally be reached on M-F 8:00-5:30 (First BiWeek Friday Off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Fritz M. Fleming can be reached on (571) 272-4145. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Vincent Lai
Examiner
Art Unit 2181


KIM HUYNH
SUPERVISORY PATENT EXAMINER
10/13/06

vi
October 11, 2006